Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/14/2021 Revision date: 10/18/2022 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Name	: SOL 5360H
UFI	: 70N0-30KY-U00W-YT9V

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses		
Main use category	: Industrial use	
Use of the substance/mixture	: Raw material for rubber tyre	
1.2.2. Uses advised against		
Restrictions on use	: Not available	

1.3. Details of the supplier of the safety data sheet

Manufacturer

Kumho Petrochemical Co.,Ltd (Yeosu Rubber Plant 2) 331, Sandanjungang-ro, Yeosu-si, Jeollanam-do T +82-61-688-7270~4 - F +82-61-688-7219

Supplier TsafeE GmbH Landwehrpl 6, 66111, Saarbruecken, Germany T +49 177 9166175 tsg@tsafeg.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig- Holstein (GIZ-Nord) Universitätsmedizin Göttingen - Georg-August-Universität	Robert-Koch Straße 40 37075 Göttingen	+49 (0) 551 19240	(English only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (I	
Hazardous to the aquatic environment – Ch Full text of H- and EUH-statements: see se	
Adverse physicochemical, human health	n and environmental effects
Harmful to aquatic life with long lasting effe	cts.
2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Signal word (CLP)	:-
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
STYRENE/BUTADIENE COPOLYMER	(CAS-No.) 9003-55-8 (EC-No.) 618-370-2	99.4 – 99.7	Not classified
2,6-Di-tert-butyl-p-cresol	(CAS-No.) 128-37-0 (EC-No.) 204-881-4	0.3 – 0.6	Aquatic Chronic 1, H410 (M=1)

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact	 Remove person to fresh air and keep comfortable for breathing. Treat symptomatically. Wash skin with plenty of water. Take off immediately all contaminated clothing. Immediately rinse with plenty of water (for at least 15 minutes). Take off contaminated clothing and wash before reuse.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Immediately rinse with plenty of water (for at least 15 minutes).
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Do NOT induce vomiting unless directed to do so by a physician. Rinse mouth out with water.
4.2. Most important symptoms and ef	fects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Dry powder. Foam. Carbon dioxide (CO2).Do not use a water jet since it may cause the fire to spread.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Hazardous decomposition products in case of fire	 Could be ignited by heat, sparks or flames. Contains gas under pressure; may explode if heated. Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Wear recommended personal protective equipment. Cool containers with flooding quantities of water until well after fire is out. Fight fire from safe distance and protected location. Move containers from fire area if it can be done without personal risk. Withdraw immediately in case of rising sound from venting devices or discolouration from tank. NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Stay upwind. Stop leak if safe to do so. Avoid ignition sources. Evacuate unnecessary personnel. Ventilate confined spaces before entering. Move containers away from the fire area if this can be done without risk.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment. Avoid th public waters.	e spillage or runoff entering drains, sewers or watercourses. Notify authorities if product enters sewers or		

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Mechanically recover the product. Collect leaking and spilled liquid in sealable containers as far as possible. Clean up any spills as soon as possible, using an absorbent material to collect it. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. If spillage occurs on the public highway, indicate the danger and notify the authorities (police, fire brigade). Keep upwind. Not Low.	
Other information	Dispose of materials or solid residues at an authorized site.	

For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Do not handle until all safety precautions have been read and understood. Eliminate all ignition sources if safe to do so. Prevents handling of incompatible substances or mixtures. Store in accordance with local, regional, national or international regulation. Avoid contact with skin, eyes and clothing. Avoid generation and spreading of dust. Avoid static electricity discharges.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store in a well-ventilated place. Do not store near heat sources or expose to high temperatures. Keep away from any flames or sparking source. Stop leak without risks if possible. Use appropriate container to avoid environmental contamination. Avoid imcompatible materials and conditions. Keep cool. Protect from sunlight. Avoid static electricity discharges. Keep in suitable, closed containers for disposal.	
7.3. Specific end use(s)		

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2,6-Di-tert-butyl-p-cresol (128-37-0)	
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	2,6-Di-tert-butyl-p-kresol
AGW (OEL TWA) [1]	10 mg/m³ (E)
Peak exposure limitation factor	4(II)
Remark	DFG;Y;11
Regulatory reference	TRGS900

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. The workplace should be equipped with an emergency shower and eye-rinsing facility

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear respiratory protection.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid	
Colour	: amber.	
Molecular mass	: Not available	
Odour	: Rubbers.	
Odour threshold	: Not available	
Melting point	: Not available	
Freezing point	: Not applicable	
Boiling point	: Not available	
Flammability	: Not available	
Explosive limits	: Not applicable	
Lower explosion limit	: Not applicable	
Upper explosion limit	: Not applicable	
Flash point	: > 288 °C	
Auto-ignition temperature	: 440 °C	
Decomposition temperature	: Not available	
рН	: Not available	
pH solution	: Not available	
Viscosity, kinematic	: Not applicable	
Solubility	: Insoluble.	
Partition coefficient n-octanol/water (Log Kow)	: Not available	
Vapour pressure	: Not available	
Vapour pressure at 50 °C	: Not available	
Density	: Not available	
Relative density	: 0.91 – 0.97	
Relative vapour density at 20 °C	: Not applicable	
Particle size	: Not available	
Particle size distribution	: Not available	
Particle shape	: Not available	
Particle aspect ratio	: Not available	
Particle aggregation state	: Not available	
Particle agglomeration state	: Not available	
Particle specific surface area	: Not available	
Particle dustiness	: Not available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal conditions of use.	
10.4. Conditions to avoid	
Incompatible materials.	
10.5. Incompatible materials	

alkalis. Acids. metals. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon oxides (CO, CO2). fume. Hydrogen cyanide. Aldehydes.

SECTION 11: Toxicological information	
11.1. Information on hazard classes as defined	l in Regulation (EC) No 1272/2008
, ,	Not available
	Not available
Acute toxicity (inhalation) :	Not available
2,6-Di-tert-butyl-p-cresol (128-37-0)	
LD50 oral rat	> 6000 µg/kg Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bw/day Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation :	Not available
Serious eye damage/irritation :	Not available
Respiratory or skin sensitisation :	Not available
	Not available
Carcinogenicity :	Not available
STYRENE/BUTADIENE COPOLYMER (9003-55	i-8)
IARC group	3 - Not classifiable
2,6-Di-tert-butyl-p-cresol (128-37-0)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not available
2,6-Di-tert-butyl-p-cresol (128-37-0)	
LOAEL (animal/male, F1)	25 mg/kg bodyweight
LOAEL (animal/female, F1)	25 mg/kg bodyweight
NOAEL (animal/male, F0/P)	500 mg/kg bodyweight
NOAEL (animal/female, F0/P)	500 mg/kg bodyweight
STOT-single exposure :	Not available
STOT-repeated exposure :	Not available
2,6-Di-tert-butyl-p-cresol (128-37-0)	
NOAEL (oral, rat, 90 days)	≥ 61 mg/kg bodyweight NOAEL (oral, rat, 90 days)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard

: Not available

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute)	: Harmful to aquatic life with long lasting effects. : Not available
Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	: Harmful to aquatic life with long lasting effects.

2,0-Di-tert-butyi-p-cresor (120-37-0)	
LC50 - Fish [1]	> 0.57 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.48 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	 > 0.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.023 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.053 mg/l Test organisms (species): Oryzias latipes Duration: '42 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

2,6-Di-tert-butyl-p-cresol (128-37-0)	
BCF - Fish [1]	465 l/kg
12.4. Mobility in soil	

No additional information available

12.5. Results of PBT and vPvB assessment

SOL 5360H

The product does not meet the PBT and vPvB classification criteria

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information				
In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	lass(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport Not regulated Transport by sea Not regulated Air transport Not regulated Inland waterway transport Not regulated Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
	Observe restrictions according Act on the Protection of Young People in Employment
	(JArbSchG)
Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Storage class (LGK, TRGS 510)	: LGK 13 - Non-combustible solids

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Joint storage table	[:] LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	,	GK 5.1C K 2B, LGK 3, L	,		GK 5.1A, LGK 5.1E 8B, LGK 10, LGK

LGK 13, LGK 10-13

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

The classification complies with : ATP 12

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.